

Highly Erodible Lands Report

Choctaw County, Alabama

Map Symbol	Soil Mapunit Name	HEL Classification R=___ C=___		
		Wind	Water	MU
AnA	ANNEMAINE SILT LOAM, 0 TO 2 PERCENT SLOPES, RARELY FLOODED	not highly erodible	not highly erodible	not highly erodible
ArF	ARUNDEL-CANTUCHE COMPLEX, 25 TO 60 PERCENT SLOPES, STONY	not highly erodible	highly erodible	highly erodible
AwE	ARUNDEL-WILLIAMSVILLE COMPLEX, 15 TO 35 PERCENT SLOPES	not highly erodible	highly erodible	highly erodible
BbA	BIBB-IUKA COMPLEX, 0 TO 1 PERCENT SLOPES, FREQUENTLY FLOODED	not highly erodible	not highly erodible	not highly erodible
BeB	BIGBEE LOAMY SAND, 0 TO 5 PERCENT SLOPES, RARELY FLOODED	not highly erodible	not highly erodible	not highly erodible
BgD2	BOSWELL FINE SANDY LOAM, 5 TO 12 PERCENT SLOPES, ERODED	not highly erodible	highly erodible	highly erodible
BkB	BOYKIN LOAMY FINE SAND, 1 TO 5 PERCENT SLOPES	not highly erodible	not highly erodible	not highly erodible
BnE2	BOYKIN-LUVERNE-SMITHDALE COMPLEX, 15 TO 35 PERCENT SLOPES, ERODED	not highly erodible	highly erodible	highly erodible
BrE2	BRANTLEY-OKEELALA COMPLEX, 15 TO 35 PERCENT SLOPES, ERODED	not highly erodible	highly erodible	highly erodible
BrF	BRANTLEY-OKEELALA COMPLEX, 35 TO 60 PERCENT SLOPES	not highly erodible	highly erodible	highly erodible
CaA	CAHABA SANDY LOAM, 0 TO 2 PERCENT SLOPES, RARELY FLOODED	not highly erodible	not highly erodible	not highly erodible
CoC2	CONECUH LOAM, 3 TO 8 PERCENT SLOPES, ERODED	not highly erodible	highly erodible	highly erodible
FaA	FLUVAQUENTS, PONDED	not highly erodible	not highly erodible	not highly erodible
FrA	FREETST FINE SANDY LOAM, 0 TO 2 PERCENT SLOPES	not highly erodible	not highly erodible	not highly erodible
HaB	HALSO SILT LOAM, 1 TO 3 PERCENT SLOPES	not highly erodible	potentially highly erodible	potentially highly erodible
IzA	IZAGORA FINE SANDY LOAM, 0 TO 2 PERCENT SLOPES, RARELY FLOODED	not highly erodible	not highly erodible	not highly erodible
LaA	LATONIA LOAMY SAND, 0 TO 2 PERCENT SLOPES, RARELY FLOODED	not highly erodible	not highly erodible	not highly erodible
LdC2	LAUDERDALE-ARUNDEL COMPLEX, 2 TO 10 PERCENT SLOPES, STONY, ERODED	not highly erodible	highly erodible	highly erodible
LeA	LEEPER SILTY CLAY LOAM, 0 TO 1 PERCENT SLOPES, FREQUENTLY FLOODED	not highly erodible	not highly erodible	not highly erodible
LfA	LENOIR SILT LOAM, 0 TO 2 PERCENT SLOPES, RARELY FLOODED	not highly erodible	not highly erodible	not highly erodible
LgA	LOUIN SILTY CLAY, 0 TO 2 PERCENT SLOPES	not highly erodible	not highly erodible	not highly erodible
LhA	LUCEDALE FINE SANDY LOAM, 0 TO 2 PERCENT SLOPES	not highly erodible	not highly erodible	not highly erodible

Highly Erodible Lands Report, cont.

Choctaw County, Alabama

Map Symbol	Soil Mapunit Name	HEL Classification R=___ C=___		
		Wind	Water	MU
LnB	LUVERNE SANDY LOAM, 1 TO 5 PERCENT SLOPES	not highly erodible	potentially highly erodible	potentially highly erodible
LnD2	LUVERNE SANDY LOAM, 5 TO 15 PERCENT SLOPES, ERODED	not highly erodible	highly erodible	highly erodible
LnE2	LUVERNE SANDY LOAM, 15 TO 35 PERCENT SLOPES, ERODED	not highly erodible	highly erodible	highly erodible
MaA	MAYHEW SILTY CLAY LOAM, 0 TO 2 PERCENT SLOPES	not highly erodible	not highly erodible	not highly erodible
MdA	MCCRORY-DEERFORD COMPLEX, 0 TO 2 PERCENT SLOPES, OCCASIONALLY FLOODED	not highly erodible	not highly erodible	not highly erodible
MnB	MCLAURIN FINE SANDY LOAM, 2 TO 5 PERCENT SLOPES	not highly erodible	potentially highly erodible	potentially highly erodible
OKA	OCHLOCKONEE, KINSTON, AND IUKA SOILS, 0 TO 1 PERCENT SLOPES, FREQUENTLY FLOODED	not highly erodible	not highly erodible	not highly erodible
OtB	OKTIBBEHA CLAY, 1 TO 5 PERCENT SLOPES	not highly erodible	potentially highly erodible	potentially highly erodible
Pt	PITS	not highly erodible	not highly erodible	not highly erodible
RbD2	RAYBURN SILT LOAM, 5 TO 15 PERCENT SLOPES, ERODED	not highly erodible	highly erodible	highly erodible
RvA	RIVERVIEW LOAM, 0 TO 2 PERCENT SLOPES, OCCASIONALLY FLOODED	not highly erodible	not highly erodible	not highly erodible
SaA	SAVANNAH SILT LOAM, 0 TO 2 PERCENT SLOPES	not highly erodible	not highly erodible	not highly erodible
SaB	SAVANNAH SILT LOAM, 2 TO 5 PERCENT SLOPES	not highly erodible	potentially highly erodible	potentially highly erodible
SmB	SMITHDALE SANDY LOAM, 2 TO 5 PERCENT SLOPES	not highly erodible	potentially highly erodible	potentially highly erodible
SmD	SMITHDALE LOAMY FINE SAND, 5 TO 15 PERCENT SLOPES	not highly erodible	highly erodible	highly erodible
StD2	SUMTER-MAYTAG COMPLEX, 3 TO 8 PERCENT SLOPES, ERODED	not highly erodible	highly erodible	highly erodible
StE2	SUMTER-MAYTAG COMPLEX, 8 TO 15 PERCENT SLOPES, ERODED	not highly erodible	highly erodible	highly erodible
ToC2	TOXEY-BRANTLEY-HANNON COMPLEX, 3 TO 8 PERCENT SLOPES, ERODED	not highly erodible	highly erodible	highly erodible
UnA	UNA CLAY, PONDED	not highly erodible	not highly erodible	not highly erodible
UrB	URBO-MOOREVILLE-UNA COMPLEX, GENTLY UNDULATING, FREQUENTLY FLOODED	not highly erodible	not highly erodible	not highly erodible
WaB	WADLEY LOAMY FINE SAND, 1 TO 5 PERCENT SLOPES	not highly erodible	not highly erodible	not highly erodible
WcB	WILCOX SILTY CLAY, 1 TO 5 PERCENT SLOPES	not highly erodible	highly erodible	highly erodible
WcD2	WILCOX SILTY CLAY, 5 TO 15 PERCENT SLOPES, ERODED	not highly erodible	highly erodible	highly erodible
WmC	WILLIAMSVILLE FINE SANDY LOAM, 2 TO 8 PERCENT SLOPES	not highly erodible	highly erodible	highly erodible